



Director's Update Brief

Monday

25 May 2009 1100 EDT

Day 37

The Week of CDC Workforce



Key EventsUS Novel Influenza A (H1N1)



- Novel Influenza A (H1N1) Declarations
 - HHS: Downgraded to Phase 1 Awareness (9 May 2009)
 - WHO: Pandemic Phase 5 (29 Apr 1600 EDT)
 - USG: Public Health Emergency declared (26 Apr 2009)
- US Cases: As of 22 May 2009 0840 EDT


	Total Confimed and Probable		
	Cases	Hosp	Deaths
US TOTAL Cases INCL DC	6764	317	10
US TOTAL States Affected INCL DC	48	36	6

- International Cases: 12,022 in 43 Countries
 - New countries with confirmed cases: Russia
- Deployments: 26 deployed, 8 pending, 202 potential



Epidemiology/Surveillance Number of Novel Influenza A (H1N1) Cases Reported to CDC by State As of 22 May 2009 0840 EDT (n=6,764)








Epidemiology/Surveillance Novel Influenza A (H1N1) - 25 May 2009 1100 EDT Confirmed and Probable Cases by Onset* and Report Date





Date

^{*}Information on onset date no longer presented after May 12 due to change to aggregate reporting



Epidemiology/Surveillance Novel Influenza A (H1N1) - 25 May 2009 1100 EDT



WHO/NREVSS Collaborating Laboratories

 Seasonal influenza A (H1), A (H3), and B viruses co-circulated with novel influenza A (H1N1) viruses

Influenza-associated Pediatric Deaths

No new influenza-associated pediatric deaths reported. 08-09 total = 61

ILINet (week ending 16 May)

 — % of ILI outpatient visits ↓ the national baseline; overall trend remains stable

122 Cities Mortality Reporting System (graph)

- % pneumonia and influenza deaths remains within expected
- % deaths due to pneumonia and influenza are decreasing

• Geographic Spread of Influenza as Assessed by State and Territorial Epidemiologists – state reporting:


Widespread: 5 statesRegional: 13 states

Local: 15 states + DC
 Sporadic: 16 states
 None: 1 state



Epidemiology/Surveillance Novel Influenza A (H1N1) - 25 May 2009 1100 EDT U.S. WHO/NREVSS Collaborating Laboratories Summary, 2008-09









Epidemiology/Surveillance Novel Influenza A (H1N1) - 25 May 2009 1100 EDT Percent of Specimens Positive for Influenza Reported by WHO and NREVSS Labs: Novel Influenza A(H1N1) vs. Seasonal Influenza, by Week









Epidemiology/Surveillance









NOTE: Week ending dates vary by influenza season

*Preliminary ILI data for week 19, as of May 22, 2009 (n=950 weekly ILI reports received from 49 states)


† There was no week 53 during the 2006-07 and 2007-08 seasons, therefore the week 53 data point for those seasons is an average of weeks 52 and 1.




Epidemiology/Surveillance Novel Influenza A (H1N1) - 25 May 2009 1100 EDT Current Influenza Surveillance – ILINet Regions I-III



Region I - CT, ME, MA, NH, RI, VT





NOTE: Scales differ between regions


NOTE: There was no week 53 during the 2006-07 and 2007-08 seasons, therefore the week 53 data point for those seasons is an average of weeks 52 and 1.



Epidemiology/Surveillance Novel Influenza A (H1N1) - 25 May 2009 1100 EDT Current Influenza Surveillance – ILINet Regions IV-VI




Region IV - AL, FL, GA, KY, MS, NC, SC, TN



Region V - IL, IN, MI, MN, OH, WI

Region VI - AR, LA, NM, OK, TX



NOTE: Scales differ between regions

NOTE: There was no week 53 during the 2006-07 and 2007-08 seasons, therefore the week 53 data point for those seasons is an average of weeks 52 and 1.




Epidemiology/Surveillance Novel Influenza A (H1N1) - 25 May 2009 1100 EDT Current Influenza Surveillance – ILINet Regions VII-X




Region VII - IA, KS, MO, NE

Region VIII - CO, MT, ND, SD, UT, WY




Region IX - AZ, CA, HI, NV

Region X - AK, ID, OR, WA



NOTE: Scales differ between regions


NOTE: There was no week 53 during the 2006-07 and 2007-08 seasons, therefore the week 53 data point for those seasons is an average of weeks 52 and 1.



^{*} This map indicates geographic spread & does not measure the severity of influenza activity




BioSense






04/22/2009 to 05/21/2009





BioSense Percentage Emergency Department Visits for Patient-reported ILI, Weekly Trends. U.S. 10/07/2006 to 05/23/2009*








BioSense Pharmacies Percentage of Anti-infective Prescriptions for Antivirals, U.S. 04/22/2009 to 05/21/2009







International Novel Influenza A (H1N1) - 25 May 2009



- WHO global case count: 12,022 confirmed cases in 43 countries*
 - New countries with confirmed cases: Russia
 - Countries with highest confirmed case count after the US and Mexico:
 - Canada: 719 (=)
 - Japan: 321 (†27 in last 72 hours)
 - Spain: 126 (↑13 in last 72 hours)
 - UK: 117 (↑5 in last 72 hours)

*Note: WHO case counts are current as of 05/24/09, 10:00 pm EDT



Division of Global Migration and Quarantine Novel Influenza A (H1N1) - 25 May 2009 School Dismissal, United States, 4/29 – 5/22, 2009




- School Dismissal
 - 78 schools closed due to H1N1 in 7 states (as of 12 noon, 22 May 2009):
 - Increase from 60 schools on 21 May
 - AZ, MA (12), MI, NJ, NY (47), TX, and WI.
 - Closures impacted 49,893 (increase from 42,052 on 21 May)
 - Closures appear to be in response to high absenteeism



Communications Summary Novel Influenza A (H1N1) – 25 MAY 2009








Communications Summary Novel Influenza A (H1N1) – 25 MAY 2009





14.5%

8.3%

8.9%